Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Revision date: 06/11/2023 Version: 10.45

Generated : 06/11/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| Product form | : Mixture |
|-----------------|--------------|
| Trade name | : STRATA TFR |
| Product code | : VC123 |
| Type of product | : Detergent |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

| Main use category | : Professional use |
|----------------------------------|---|
| Industrial/Professional use spec | : For professional use only |
| Use of the substance/mixture | : Vehicle cleaning/vehicle care product |
| | |

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

CS4 UK STRATA HOUSE 42 QUEENSWAY ENFIELD MIDDLESEX EN3 4SA UNITED KINGDOM

Tel: 0845 075 8300 Fax: 0845 075 8301 Email: sales@cs4uk.com

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment | |
|----------------|--|--|--|-----------------------------------|--|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | | |
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH Birmingham | 0344 892 0111 | Only for healthcare professionals | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Skin corrosion/irritation, Category 1H314Serious eye damage/eye irritation, Category 1H318

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | GHS05 |
|--------------------------------|--|
| Signal word (CLP) | : Danger |
| Contains | : sodium hydroxide; caustic soda |
| Hazard statements (CLP) | : H314 - Causes severe skin burns and eye damage. |
| Precautionary statements (CLP) | : P264 - Wash hands thoroughly after handling. |
| | P280 - Wear eye protection, protective gloves. |
| | P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| | P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. |
| | Rinse skin with water or shower. |
| | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove |
| | contact lenses, if present and easy to do. Continue rinsing. |
| | P315 - Get immediate medical advice/attention. |
| | P405 - Store locked up. |

2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|---------|---|
| Alcohol Alkoxylate | CAS-No.: 166736-08-9 REACH-no: Exempt/Polymer | 1 – 5 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| sodium hydroxide; caustic soda substance with national workplace exposure limit(s) (IE, GB) | CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27 | 1 – 5 | Skin Corr. 1A, H314 |
| Sodium laurylether sulphate | CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639- 16 | 1 – 5 | Eye Dam. 1, H318 Skin Irrit. 2, H315 |
| Benzenesulphonic acid, mono-C10-14-alkyl derivs., sodium salts | CAS-No.: 85117-50-6 EC-No.: 285-600-2 | 1 – 5 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 |
| Sodium xylenesulphonate | CAS-No.: 1300-72-7 EC-No.: 215-090-9 REACH-no: 01-2119513350- 56 | 1 – 5 | Eye Irrit. 2, H319 |
| N,N-dimethyldecylamine N-oxide | CAS-No.: 2605-79-0 EC-No.: 220-020-5 REACH-no: 01-2119959297- 22 | 0.1 – 1 | Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411 Acute Tox. 4 (Oral), H302 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Specific concentration limits: | | | |
|--------------------------------|---|---|--|
| Name | Product identifier | Specific concentration limits | |
| Alcohol Alkoxylate | CAS-No.: 166736-08-9 REACH-no: Exempt/Polymer | (1 <c 10)="" 2,="" eye="" h319<br="" irrit.="" ≤="">(10 <c 1,="" 100)="" <="" dam.="" eye="" h318<="" td=""></c></c> | |
| sodium hydroxide; caustic soda | CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27 | (0.5 ≤C < 2) Skin Irrit. 2, H315 (0.5 ≤C < 2) Eye Irrit. 2, H319 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314 | |
| Sodium laurylether sulphate | CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639- 16 | (5 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318 | |

Full text of H- and EUH-statements: see section 16

| SECTION 4: First aid measures | | |
|--|--|--|
| 4.1. Description of first aid measures | | |
| First-aid measures general | : Get medical advice/attention if you feel unwell. | |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. | |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention. | |
| First-aid measures after eye contact | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. | |
| First-aid measures after ingestion | : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention. | |
| 4.2. Most important symptoms and effects, both acute and delayed | | |
| Symptoms/effects after inhalation | : May cause respiratory irritation. | |
| Symptoms/effects after skin contact | : Burns. | |
| Symptoms/effects after eye contact | : Causes serious eye damage. | |
| eympterne, encote and eye contact | | |

Treat symptomatically.

| SECTION 5: Firefighting measures | |
|--|-------------------------------------|
| 5.1. Extinguishing media | |
| Suitable extinguishing media | : Carbon dioxide. Dry powder. Foam. |
| 5.2. Special hazards arising from the subst | tance or mixture |
| Hazardous decomposition products in case of fire | : Corrosive vapours. |
| 5.3. Advice for firefighters | |

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Evacuate unnecessary personnel.

STRATA TFR VC123 Safety Data Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 6.1.2. For emergency responders Protective equipment Protective equipment : Use personal protective equipment as required. 6.2. Environmental precautions Avoid release to the environment. 6.3. Methods and material for containment and cleaning up : Collect spillage. For containment : Collect spillage. Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. 6.4. Reference to other sections VC123

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

| SECTION 7: Handling and storage | | |
|---|--|--|
| 7.1. Precautions for safe handling | | |
| Precautions for safe handling Hygiene measures | Avoid contact with skin and eyes.Do not eat, drink or smoke when using this product. | |
| 7.2. Conditions for safe storage, including any incompatibilities | | |
| Technical measures Storage conditions Incompatible products Incompatible materials Special rules on packaging | Does not require any specific or particular technical measures. Keep container closed when not in use. Oxidizing agent. Strong acids. Metals. Keep only in original container. | |

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| sodium hydroxide; caustic soda (1310-73-2) | | |
|---|---------------------|--|
| Ireland - Occupational Exposure Limits | | |
| Local name | Sodium hydroxide | |
| OEL STEL | 2 mg/m ³ | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | Sodium hydroxide | |
| WEL STEL (OEL STEL) | 2 mg/m ³ | |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses. ISO 16321-1

8.2.2.2. Skin protection

Skin and body protection: Not required for normal conditions of use

Hand protection:

Chemical resistant gloves (according to European standard ISO 374-1 or equivalent). Nitrile rubber gloves

Other skin protection

Materials for protective clothing:

Not required for normal conditions of use

8.2.2.3. Respiratory protection

Respiratory protection: Not required for normal conditions of use

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | : | Liquid |
|---|---|-------------------|
| Colour | : | Blue. |
| Appearance | : | Liquid. |
| Odour | : | odourless. |
| Odour threshold | : | Not available |
| Melting point | : | Not available |
| Freezing point | : | Not available |
| Boiling point | : | ≥ 100 °C |
| Flammability | : | Not available |
| Explosive limits | : | Not available |
| Lower explosive limit (LEL) | : | Not available |
| Upper explosive limit (UEL) | : | Not available |
| Flash point | : | Not available |
| Auto-ignition temperature | : | Not available |
| Decomposition temperature | : | Not available |
| рН | : | 13 |
| Viscosity, kinematic | : | Not available |
| Solubility | : | Soluble in water. |
| Partition coefficient n-octanol/water (Log Kow) | : | Not available |
| Vapour pressure | : | Not available |
| Document generated @ 06/11/2023 13:41:58 | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Vapour pressure at 50°C Density Relative density Relative vapour density at 20°C Particle size Particle size distribution Particle shape Particle aspect ratio Particle aggregation state Particle agglomeration state Particle specific surface area | Not available Not available 1.07 Not available Not available Not applicable |
|---|--|
| | |
| | |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Acute toxicity (oral) | : Not classified |
|-----------------------------------|--|
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |
| Skin corrosion/irritation | : Causes severe skin burns. pH: 13 |
| Serious eye damage/irritation | : Causes serious eye damage. pH: 13 |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| | |

Document generated @ 06/11/2023 13:41:58

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aspiration hazard

: Not classified

11.2. Information on other hazards

No additional information available

| SECTION 12: Ecological information | SECTION 12: Ecological information | | |
|--|------------------------------------|--|--|
| 12.1. Toxicity | | | |
| Hazardous to the aquatic environment, short–term : Not classified (acute) | | | |
| Hazardous to the aquatic environment, long-term : Not classified (chronic) | | | |
| Alcohol Alkoxylate (166736-08-9) | | | |
| LC50 - Fish [1] | 10 – 100 mg/l | | |
| EC50 - Crustacea [1] | 10 – 100 mg/l | | |
| ErC50 other aquatic plants | 10 – 100 mg/l | | |
| sodium hydroxide; caustic soda (1310-73-2) | | | |
| LC50 - Fish [1] | > 35 mg/l | | |
| EC50 - Other aquatic organisms [1] | > 33 mg/l waterflea | | |
| Sodium xylenesulphonate (1300-72-7) | | | |
| EC50 - Other aquatic organisms [1] | > 1020 mg/l waterflea | | |
| N,N-dimethyldecylamine N-oxide (2605-79-0) | | | |
| LC50 - Fish [1] | > 10 mg/l | | |
| EC50 - Other aquatic organisms [1] | 4.4 mg/l waterflea | | |
| EC50 - Other aquatic organisms [2] | 0.11 mg/l | | |
| 12.2. Persistence and degradability | | | |
| No additional information available | | | |
| 12.3. Bioaccumulative potential | | | |
| sodium hydroxide; caustic soda (1310-73-2) | | | |
| Partition coefficient n-octanol/water (Log Pow) | -3.88 | | |
| Sodium xylenesulphonate (1300-72-7) | | | |

-3.12

3.69

N,N-dimethyldecylamine N-oxide (2605-79-0) Partition coefficient n-octanol/water (Log Pow)

Partition coefficient n-octanol/water (Log Pow)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

VC123

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

| 14.1. UN number or ID number | | |
|--|--|--|
| UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) | : UN 1760 : UN 1760 : UN 1760 | |
| 14.2. UN proper shipping name | | |
| Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) | CORROSIVE LIQUID, N.O.S. CORROSIVE LIQUID, N.O.S. Corrosive liquid, n.o.s. | |

: Corrosive liquid, n.o.s.

: UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, III, (E)

- : UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, III
- : UN 1760 Corrosive liquid, n.o.s., 8, III

14.3. Transport hazard class(es)

Transport document description (ADR)

Transport document description (IMDG) Transport document description (IATA)

ADR

Transport hazard class(es) (ADR) Danger labels (ADR)



: 8 : 8

:

IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG)



Transport hazard class(es) (IATA) Danger labels (IATA)

: 8 : 8

14.4. Packing group

| Packing group (ADR) | : | Ш |
|----------------------|---|---|
| Packing group (IMDG) | : | Ш |
| Packing group (IATA) | : | Ш |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| 14.5. Environmental hazards | |
|---|--|
| Dangerous for the environment | : No |
| Marine pollutant | : No |
| Other information | : No supplementary information available |
| 14.6. Special precautions for user | |
| Overland transport | |
| Classification code (ADR) | : C9 |
| Special provisions (ADR) | : 274 |
| Limited quantities (ADR) | : 51 |
| Excepted quantities (ADR) | : E1 |
| Packing instructions (ADR) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (ADR) | : MP19 |
| Portable tank and bulk container instructions (ADR) | : T7 |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP28 |
| Tank code (ADR) | : L4BN |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 3 |
| Special provisions for carriage - Packages (ADR) | : V12 |
| Hazard identification number (Kemler No.) | : 80 |
| Orange plates | 80 1760 |
| Tunnel restriction code (ADR) | : E |
| EAC code | : 2X |
| APP code | : B |
| Transport by sea | |
| Special provisions (IMDG) | : 223, 274 |
| Limited quantities (IMDG) | : 5L |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : P001, LP01 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T7 |
| Tank special provisions (IMDG) | : TP1, TP28 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-B |
| Stowage category (IMDG) | : A |
| Air transport | |
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y841 |
| PCA limited quantity max net quantity (IATA) | : 1L |
| PCA packing instructions (IATA) | : 852 |
| PCA max net quantity (IATA) | : 5L |
| CAO packing instructions (IATA) | : 856 |
| CAO max net quantity (IATA) | : 60L |
| Special provisions (IATA) | : A3 |
| ERG code (IATA) | : 8L |

14.7. Maritime transport in bulk according to IMO instruments

IBC code

: Not applicable.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

| Detergent Regulation (648/2004/EC): Labelling of contents: | | |
|--|-----|--|
| Component | % | |
| non-ionic surfactants, anionic surfactants | <5% | |

15.1.2. National regulations

United Kingdom

British National Regulations

 Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
 Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.
 Detergent Regulation (648/2004/EC).

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

| Full text of H- and EUH-statements: | | |
|-------------------------------------|---|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 | |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 | |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| H302 | Harmful if swallowed. | |
| H314 | Causes severe skin burns and eye damage. | |
| H315 | Causes skin irritation. | |
| H318 | Causes serious eye damage. | |
| H319 | Causes serious eye irritation. | |
| H400 | Very toxic to aquatic life. | |
| H411 | Toxic to aquatic life with long lasting effects. | |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A | |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: | | |
|---|------|-----------------------|
| Skin Corr. 1 | H314 | On basis of test data |
| Eye Dam. 1 | H318 | On basis of test data |

Document generated @ 06/11/2023 13:41:58

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.